



WAFFENTECHNIK
BORKOTT & EICKHORN
SOLINGEN-GERMANY

MISSION READY

SARD

SEARCH AND RESCUE DEVICE

PATENTS PENDING

WAFFENTECHNIK
BORKOTT & EICKHORN




www.waffentechnik-solingen.de



MISSION READY



Wire cutter / Crimper



Plastic handcuff cutter
(also cuts "ASP Trifold")

SARD Blade variations available:

Rescue



Tanto



Wave




DropTanto



SARD

SEARCH AND RESCUE DEVICE



TECHNICAL DATA SARD

Blade material	440A (DIN 1.4110)*	
Body material	PLAKARTA	
Awl material	PLAKARTA	
Weight complete	140 g approx.	4.95 oz.
Length of Knife open	240 mm approx.	9.45 in.
Length of Knife closed	140 mm approx.	5.51 in.
Blade thickness	3.5 mm approx.	0.14 in.
Blade width	30 mm max.	1.18 in.
Total thickness	22 mm approx.	0.87 in.
Body width	32 mm approx.	1.26 in.

* Vario- and ice- hardened

SARD

SEARCH AND RESCUE DEVICE



Standard features:

Accessory part:



Patented Lock-system
"Bladelock"



Integrated belt-clip



Holster for SARD



Hardness on edge is HRC
58 - 60 as a result of
vario- and icehardening



Awl



Pivot screw for easy
adjustment & change
of blade




Thumb rest



Finger safety



1/2 serrated blade



Wire cutter /
Crimper



Plastic handcuff cutter
(also cuts "ASP Trifold")



Window puncher




Thumb opener



Lanyard hole



Lubricant reservoir



Waffentechnik Borkott & Eickhorn GmbH • Wuppertaler Str. 90-94 • 42653 Solingen / Germany • Tel.: +49 / 212 / 2 58 10 0
Fax: +49 / 212 / 2 58 10 62 info@waffentechnik-solingen.de • www.waffentechnik-solingen.de

Waffentechnik Borkott & Eickhorn GmbH is registered with NATO under Code (NCAGE) D7235
We reserve the right to implement technical variations on products (e.g.: function, design, execution or other) without prior announcement if it leads to an improvement of the product quality or changes in production process make these necessary.